

T 5 S - R 4 E. 2nd Mer.

	86	86	85-87	85-87	85-87	85-88	
88	6	5	4	3	2	1	90
	122	121	118	115	113	111	
88	7	8	9	10	11	12	90
	120	120	117	114	112	110	
88	18	17	16	15	14	13	91
	108	108-119	108-116	108-114	109-112	109	
89	19	20	21	22	23	24	91
	106	107	104	101	99	97	
89	30	29	28	27	26	25	92
	105	105	103	100	98	96	
90	31	32	33	34	35	36	93
	94-95	94-95	94-95	94-95	93-96	93-96	

T 6 S - R 4 E. 2nd Mer.

	126	125-126	125-126	125-127	125-127	125-127	
129	6	5	4	3	2	1	128
	138	136	132	130	129	128	
	137	137	132	130	129		
	137	9	10	11	12		
	142	133	131	141			
	16	15	14				
	140	134	136				
	22	23					
	135	135					
	27	26					

Meandering R. 138

T. 6. S. R. 4. E. 2^d Mer. Ind.^a

Township No. 6. South, R. No. 4. E. 2^d Mer.
Indiana

West On a Random line between Townships No. 5
 & 6 Range No. 4 East & Sec. No. 3 & 4

40.00 Set the temporary $\frac{1}{2}$ mile post

80.00 Set the temporary mile post corner to Sec. No.
 35 & 36 Township No. 5 South, Range No. 4 East
 Over good land, rather uneven, Timber, Buck
 Poplar Oak &c. - W. G. Spice & Dogwood, about
 middling farming land

West Between Townships No. 5 & 6. & Sec. No. 35 & 2
 38.52 a creek 50 Yds. wide course S. W

40.00 Set the temporary $\frac{1}{2}$ mile post

80.00 Set the temporary mile post, over broken land
 timber Oak, Sugar-tree, Buck Poplar &c. under
 growth Spice & Dogwood

West Between Townships No. 5 & 6. Range No. 4 East
 Sec. No. 3 & 4 & 3

40.00 Set the temporary $\frac{1}{2}$ mile post

80.00 Set the temporary mile post - over broken land
 good soil - Timber Oak, Beech Sugar tree Poplar
 &c. W. G. Spice - middling farming land.

West On a Random line between Sec. No. 33 & 4
 Townships No. 5 & 6. Range No. 4 East

40.00 Set the temporary $\frac{1}{2}$ Sec. post

80.00 Set the temporary mile post - over good land,
 timber Oak, Beech, Poplar, Sugar-tree &c. under
 growth Spice, good farming land.

West On a Random line between Sec. No. 32 & 5. Town-
 ships No. 5 & 6, Range No. 4 East

40.00 Set the temporary $\frac{1}{2}$ Sec. post

T. 6. S. R. 4. E. of Mer.

80.00	Set the temporary mile post corner to Sec. No. 31 & 32 in Township No. 5 South, Range No. 4 East. Over good land rather broken. Timber Oak, Hickory, Beech, Ash, Poplar, Sugar tree, & some Walnut, good farming land
West	On a Random line between Sec. No. 31 & 32, Townships No. 5. South, Range No. 4 East.
40.00	Set the temporary $\frac{1}{4}$ Sec. post
12 b. 31	Intersect the Range line 71 lks. South of Township corner on a Variation of $\angle 05^{\circ}$ N. W. Over broken land, 2 ^d rate soil. Timber Beech, Poplar, Sugar tree, Ash Walnut &c. (U. G. Spruce, not very good land for farming,
East	On a true line between Sec. No. 31 & 32. Townships No. 5 & 6 Range No. 4 East
8 b. 36	Set the $\frac{1}{2}$ mile post from which a Spruce 12 ins. dia. bears $\angle 44^{\circ}$ N 28 lks. & a R. Oak 24 ins. dia. bears $\angle 80^{\circ}$ E 36 lks.
12 b. 31	Set the post corner to Sec. No. 31. 32 & 33 in Townships No. 5 & 6 Range No. 4. East from which a Poplar 3 ins. dia. bears $\angle 71^{\circ}$ N 12 lks. & another Poplar 36 ins. dia. bears $\angle 44^{\circ}$ N 27 links
East	On a true line between Sec. No. 32 & 33 Townships No. 5 & 6. Range No. 4 East
40.00	Set the $\frac{1}{2}$ mile post from which a W. Oak 12 ins. dia. bears $\angle 15^{\circ}$ N 14 lks. & a Beech 13 ins. dia. bears $\angle 15^{\circ}$ E 17 lks.
80.00	Set the post corner to Sec. No. 32. 33 & 34 in Townships No. 5 & 6. Range No. 4. East, from which a B. Oak 30 ins. dia. bears $\angle 50^{\circ}$ N 19 lks. & a Sugar tree 12 ins. dia. bears $\angle 80^{\circ}$ E 23 links

127

T. 6. S. R. 4. E. of Mer. Ind.

<p>East</p> <p>40.00</p> <p>80.00</p>	<p>On a Random line between Sect. No. 33 & 44 Township No. 5 South, Range No. 4 East</p> <p>Set the $\frac{1}{2}$ mile post from which a Gum 13 ins. dia. bears N 80 E 30 lks. & another Gum 13 ins. dia. bears S $73\frac{1}{2}$ W 27 lks.</p> <p>Set the post corner to Sect. No. 33, 34 & 44. 3 in Townships No. 5 & 6 South, Range No. 4 East from which a Poplar 24 ins. dia. bears S $37\frac{1}{2}$ E 23 lks. & a Buck 13 ins. dia. bears S 13 E 44 lks.</p>
<p>East</p> <p>40.00</p> <p>80.00</p>	<p>On a true line between Sect. No. 34 & 3 in Township No. 5 Range No. 4 East</p> <p>Set the $\frac{1}{2}$ mile post from which a Poplar 28 ins. dia. bears N 65 E 23 lks. & a Buck 16 ins. dia. bears S $75\frac{1}{2}$ W 49 lks.</p> <p>Set the post corner to Sect. No. 34 & 35. & 2. 3 Townships No. 5 & 6 South Range No. 4 East from which a Poplar 12 ins. dia. bears N 88 E 9 lks. & a Gum 15 ins. dia. bears S $74\frac{1}{2}$ W 25 links</p>
<p>East</p> <p>40.00</p> <p>80.00</p>	<p>On a true line between Sect. No. 35 and 2 in Townships No. 5 & 6 South, Range No. 4 East</p> <p>Set the $\frac{1}{2}$ mile post from which a Buck 13 ins. dia. bears N 60 E 7 lks. & an Ash 16 ins. dia. bears S $77\frac{1}{2}$ W 17 lks.</p> <p>Set post corner to Sect. No. 35 & 36 & 1 & 2 in Townships No. 5 & 6. South Range No. 4 East from which a Red Oak 24 ins. dia. bears N 56 E 22 lks. & a Buck 14 ins. dia. bears N 65 E 24 lks.</p>
<p>East</p> <p>40.00</p>	<p>On a true line between Sect. No. 36 & 1. Townships No. 5 & 6. South, Range No. 4 East</p> <p>Set the $\frac{1}{2}$ mile post, from which a W. Oak 13 ins. dia. bears S $15\frac{1}{2}$ E 31 lks. & a Buck 12 ins.</p>

T. 6. S. R. 4. E. of Mer.

	bears N 57½ W 13 lbs.
80.00	Go the Township corner
South	Continued Range line S. between Range (No. 4 & 5 East
1.75	Go a Poplar 36 ins. dia
30.00	Go a W. Oak 48 ins. dia
35.00	Top of a steep hill descend S. 4
40.00	Set the ½ mile or ½ sec. post from which a Beech 15 ins. dia. bears S 68½ W 2 lbs. & a Beech 14 ins. dia. bears S 80 E 40 lbs. This ½ mile is over broken land, 3 ^d rate soil, Timber W & B. Oak, Beech & Poplar
43.00	Down the steep hill
52.50	to Musquette creek 50 lbs. wide course S 40 W
80.00	Set a mile post corner of Sec. (No. 1 & 12. T. 6. S. R. 4. E. Sec. (No. 6 & 7. T. 6. S. R. 5. E from which a W. Maple 18 ins. dia. bears S 57 E 57 lbs. & a W. Ash 10 ins. dia. bears N 38 E 98 lbs. This ½ mile is over broken- rich soil & good for farming - Timber Beech, Sugar, Maple & some W. Oak
South	Between Ranges No. 4 & 5 East
10.80	Go a Beech 36 ins. dia
12.50	a Brook 4 lbs. wide course S. W.
31.00	Go a Sugar Maple 16 ins. dia
31.50	a Brook 10 lbs. wide course S. W.
40.00	Set the ½ mile or ½ sec. post from which a Beech 18 ins. dia. bears S 29 E 11 lbs. & a Beech 8 ins. dia. bears N 32 E 30 lbs. - This ½ mile is over level land, 4 th rate soil. Timber Beech, Sugar Maple & some W. Oak.
53.38	a W. Maple standing on the Western bank of the Ohio River the corner of R. 5. E. T. 6 S. Sec. (No. 7. & R. 4 E. T. 6. S. Sec. (No. 12) - from which a Hickory 28 ins. dia. bears S 81 E 24 lbs. & a W. Ash 16 ins. dia bears N 39 E 45 lbs & a Buckeye 12 ins. dia. bears N 42 W 32 lbs. This distance is over level land, 4 th

129

T. b. S. R. 4. E. of Mer. Ind.

rate Soil, Timber Beech, Oak, some Sugar Maple and Poplar—

South On East boundary of T. b. S. R. 3. E.
 00.63 To a Sugar tree 10 ins. dia
 22.75 To a Beech 28 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post where a Beech 11 ins. dia. bears N 82 E 5 lbs. & another Beech 18 ins. dia. bears S 22 W 11 lbs. Land hilly & rich, Timber Poplar—
 41.00 To a Gum 14 ins. dia
 41.37 cross trail East
 43.44 To a Beech 28 ins. dia
 45.00 top of River hill
 50.25 foot of Do Do
 50.75 To River bank, here set post where a Sugar tree 14 ins. dia. bears N 80 E 25 lbs. Land rich on top of hill, timber Poplar Beech— R. 3. T. b. Sec. 1.

South Between Sec. No. 1 & 2. T. b. S. R. 4. E.
 25.19 To a Beech 10 ins. dia
 40.00 Set the $\frac{1}{2}$ mile post, from which a Gum 12 ins. dia. bears S 77 $\frac{1}{2}$ W 31 lbs. & a Poplar 11 ins. dia. bears N 28 E 33 lbs
 64.50 a creek 40 lbs. wide course East rapid
 80.00 Set post corner to Sec. No. 1 & 11. 12. T. b. S. R. 4. E from which a Beech 9 ins. dia. bears N 58 $\frac{1}{2}$ W 13 lbs & a Beech 12 ins. dia. bears N 60 $\frac{1}{2}$ E 30 lbs. The last $\frac{1}{2}$ mile over very broken land, rich soil timber Beech Sugar tree, Oak, Poplar &c. W. G. Spruce very poor farming land, the $\frac{1}{2}$ mile very good farming land.

East Between Sec. No. 1 & 12. T. b. S. R. 4. E
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins. dia. bears N 28 $\frac{3}{4}$ W 51 lbs. & a Beech 20 ins. dia. bears S 75 $\frac{1}{2}$ W 49 lbs. This $\frac{1}{2}$ mile over broken land, good soil, Timber Oak, Sugar tree Beech &c. not good for farming

G. C. & R. L. E. of Mer. Ind.

South	Between Sec. No. 11 & 12. G. C. & R. L. E.
28.80	a Poplar 36 ins. dia
40.00	Set the $\frac{1}{2}$ mile post from which a Buck 11 ins. dia. bears $\text{S } 78^\circ \text{ W } 24$ lbs. & a (W. Oak) 20 ins. dia. bears $\text{S } 58^\circ \text{ E } 15$ lbs.
80.00	Set the post corner to Sec. No. 11 & 12. & 13. 14. P. b. S. R. L. E. from which a W. Oak 8 ins. dia. bears $\text{N } 39^\circ \text{ W } 51$ lbs. & a Maple 14 ins. dia. bears $\text{S } 11^\circ \text{ E } 16$ lbs. Over very broken land, mountainous but rich soil the greater part - Timber Oak Buck Poplar Sugar tree &c. very poor farming land.
South	Between Sec. No 2 & 3. G. C. & R. L. E.
19.36	a B. Oak 24 ins. dia
40.00	Set the $\frac{1}{2}$ mile post from which a W. Oak 28 ins. dia. bears $\text{S } 44^\circ \text{ E } 31$ lbs. & a Dogwood 8 ins. dia. bears $\text{S } 57^\circ \text{ E } 37$ lbs.
80.00	a W. Oak 27 ins. dia. corner to Sec. No. 3. 2 & 10. 11. Township No. 6. South Range No. 4 East over uneven land, Timber Buck, Sugar tree, Black Gum &c. thick W. G. of Dogwood & Green briars, middling farming land
East	Variation $\text{L. } 05'$
	On a Random line between Sec. No. 2 & 11 in Township No. 6. South Range No. 4. East
40.00	Set temporary $\frac{1}{4}$ Sec. post.
57.00	a Brook 3 lbs. wide which proceeds from a Spring 3 or 4 chs. South course N. E.
80.50	Intersected North & South line 20 lbs. South of Sec. corner - Over mountainous land, broken, Timber Buck, Sugar tree Oak, Poplar &c.
West	On a true line between Sec. No. 2 & 11. Town

S. C. S. R. & E. of Mer. Ind.

	Ship No. 6 South, Range No. 4 East
40.27	Set the temporary post at the average distance for the $\frac{1}{4}$ sec. corner from which a Red Oak 9 ins. dia. bears $S 7\frac{1}{2}^{\circ} W 20$ lbs. & a W. Oak 11 ins. dia. bears $N 38\frac{1}{2}^{\circ} E 8$ lbs.
80.50	To the Sec. corner
South	Variation $6^{\circ} 25'$ Between Sec. No. 10 & 11. S. C. S. R. & E.
27.49	a Poplar 15 ins. dia.
40.00	Set the $\frac{1}{4}$ mile post from which a Beech 10 ins. dia. bears $N 44^{\circ} E 19$ lbs. & a W. Oak 11 ins. dia. bears $N 80^{\circ} W 5\frac{1}{2}$ lbs.
80.00	Set the post corner to Sec. No. 10. 11 & 14. 15. in Township No. 6. South Range No. 4 East, from which a Poplar 15 ins. dia. bears $S 82^{\circ} E 28$ lbs. & a Beech 8 ins. dia. bears $N 69^{\circ} W 50$ lbs. Over handsome land, rolling, Limbers, Beech, Poplar, Hickory, Oak, Gum &c. good farming land.
East	On a Random line between Sec. No. 11 & 14 in Township No. 6 South Range No. 4 East
40.00	Set temporary $\frac{1}{4}$ sec. post
79.86	Intersected the North & South line 50 lbs. South of the Sec. corner, over good rolling land, Limbers Oak, Beech, Poplar Oak &c. good farming land.
West	On a true line between Sec. No. 11 & 14 in Township No. 6. South, Range No. 4 East
39.93	Set the temporary post at the average distance for $\frac{1}{4}$ sec. corner, from which a Poplar 24 ins. dia. bears $S 48^{\circ} E 28$ lbs. & a Beech 13 ins. dia. bears $N 71^{\circ} W 41$ lbs.
79.85	To the Sec. corner
South	Variation $6^{\circ} 30'$

G. C. S. R. & E. of Mer. Ind.

Between Sec. No. 14 & 15 T. 6. S. R. & E.
 26.22 a Buck 12 ins. dia
 40.00 Set the $\frac{1}{2}$ mile post from which an Elm 16 ins. dia. bears N $75\frac{1}{2}$ E 27 Mos. & an Ash 20 ins. dia bears N 75 W 24 Mos.
 84.00 Set post corner to Sec. No. 15. N. & 22. 23. Township No. 6 S. R. & E. from which a Buck 14 ins. dia. bears N 81 E 17 Mos. & a Spruce 13 ins. dia. bears N $12\frac{1}{2}$ E 24 Mos. Over good land, the 1st three quarters & the last quarter over mountainous land. Timber Oak, Hickory, Buck, Poplar &c. very good farming land.

South Variation 6.20
 Between Sec. No. 4 & 5 T. 6. S. R. & E.
 33.38 a Maple 15 ins. dia
 40.00 Set the $\frac{1}{2}$ mile post from which a Buck 12 ins. dia. bears S 80 E 17 Mos. & a W. Oak 13 ins. dia. bears N $78\frac{1}{2}$ W 27 Mos.
 55.47 a Hickory 24 ins. dia
 80.00 Set the post corner to Sec. No. 4. 3 & 9. 10. Township No. 6. South Range No. 4 East from which a Red. Oak 13 ins. dia. bears N $77\frac{1}{2}$ W 7 Mos. & an Elm 7 ins. dia. bears S $0\frac{1}{2}$ E 17 Mos. Over broken land, good soil. Timber Oak, Poplar, Buck, Sugar tree, Maple &c. not good farming land.

East On a Random line between Sec. No. 3 & 10 in Township No. 6. South, Range No. 4 East
 40.00 Set the temporary $\frac{1}{2}$ Sec. post
 81.95 Intersected the North & South line 40 Mos. South of the Sec. corner, over broken land 2 $\frac{1}{2}$ miles, Timber Oak, Buck, Hickory, Sugar tree, Poplar &c. W. G. Dogwood - not good farming land.

West On a true line between Sec. No. 3 & 10 Town

133

T. C. S. R. & Co. of Mer. Ind.

<p>40.00</p> <p>81.95</p>	<p>- Ship No. 6 South, Range No. 4 East</p> <p>Set the temporary post at the average distance for the 7th sec. corner from which a Sugar tree 8 ins. dia. bears South 26 Mos. & a Mr. Calk 30 ins. dia. bears N 7th W 10 links</p> <p>To sec. corner.</p>
<p>South</p> <p>31.22</p> <p>40.00</p> <p>72.25</p> <p>80.00</p>	<p>Variation 8.35</p> <p>Between Sec. No. 9 & 10. T. C. S. R. & Co.</p> <p>a Hickory 14 ins. dia</p> <p>Set the 7th mile post from which a Hickory 13 ins. dia. bears S 86th W 50 Mos. & a Buck 12 ins. dia. bears S 74th E 4 Mos.</p> <p>a Mr. Calk 15 ins. dia</p> <p>Set the post corner to sec. No. 9, 10 & 15. 1st Town - ship No. 6 South Range No. 4 East from which a Buck 13 ins. dia. bears N 87th E 20 Mos. & a Sugar tree 8 ins. dia. bears N 32 W 31 Mos. Over broken land 2nd rate, Timber Oak, Hickory Poplar Ash Sugar tree Walnut &c. poor farming land.</p>
<p>East</p> <p>40.00</p> <p>33.50</p> <p>81.60</p>	<p>On a Random line between sec. No. 10 & 15. Town - ship No. 6 South Range No. 4 East</p> <p>Set the temporary 7th sec. post</p> <p>a Brook 4 Mos. wide course South</p> <p>Intersected the N & S line 2 Mos. South of Sec. corner. The 1st 1/2 mile over broken land. The last over level - Timber Oak, Poplar, Buck, Sugar tree &c. not much (k. l.) good land for farming</p>
<p>West</p> <p>40.80</p>	<p>On a true line between sec. No. 10 & 15. Town - ship No. 6 South, Range No. 4 East</p> <p>Set the temporary post at the average distance for 7th sec. corner from which a Poplar 36 ins. dia. bears N 56th W 15 Mos. & a Buck 8 ins. dia. bears S 81th E 8 Mos</p>

S. 6. S. R. 4. E. of Mer. Ind.

81.60	To the Sec. corner.
South	Variation $6^{\circ} 35'$ Between Sec. No. 15 & 16. T. 6. S. R. 4. E.
32.15	a Beech 5 lbs. wide course S 21° W.
40.00	Set the $\frac{1}{2}$ mile post from which a Beech 10 ins. dia. bears S 29° W 27 lbs. & another Beech 13 ins. dia. bears S 68° E 16 lbs.
77.04	a creek 60 lbs. wide course S. W. This creek is made by backwater from
80.00	Set post cor. to Sec. No. 16. 15 & 21. 22. Township No. 6. South, Range No. 4 East, from which a Beech 16 ins. dia. bears S 69° E 30 lbs. & a Sugar tree 10 ins. dia. bears N 50° W 30 lbs. The 1 st $\frac{1}{2}$ mile over broken land, the last, over bottom land level. Timber principally Beech & Sugar tree, some Ash Hickory, Buckeye, the last $\frac{1}{2}$ mile good farming land.
East	On a Random line between S. 6. No. 15 & 22 Township No. 6 South, Range No. 4 East
40.00	Set the temporary $\frac{1}{4}$ Sec. post
81.43	Intersected the North & South line 50 lbs. South of the Sec. corner, over very broken land, good soil, Timber Beech, Oak, Hickory, Ash, Sugar tree &c. The 1 st $\frac{1}{2}$ mile over good farming land River bottom.
West	On a true line between Sec. No. 15 & 22. Township No. 6 South, Range No. 4 East
40.71	Set the temporary post at the average distance from $\frac{1}{4}$ Sec. corner, from which a B. Walnut 7 ins. dia. bears N 27° W 26 lbs. & a Beech 16 ins. dia. bears S 27° W 50 lbs.
81.53	To the Sec. corner.

135

T. C. S. R. & E. of Mer Ind.

South Between Sec. No. 22 & 23. T. C. S. R. & E.
 20.19 a Hickory 24 ins. dia
 40.00 Set the 1/2 mile post from which a Beech 18
 ins. dia. bears S 66 E 27 lbs. & another Beech 11 ins
 dia. bears S 85 W 14 lbs.
 80.00 Set the post corner to Sec. No. 22. 23 & 27. 26
 Township No. 6. South, Range No. 4 East,
 from which a Sweet Gum 36 ins. dia. bears S
 9 W 14 lbs. & a Black Gum 16 ins. dia. bears
 S 44 E 5 lbs. Over 2^d rate bottom - Timber,
 Beech, Poplar, Sugar-tree, Ash, Gum &c, good
 farming land.

East Between Sec. No. 23 & 26. Township No. 6
 South, Range No. 4 East
 27.31 a Hickory 9 ins. dia
 40.00 Set the 1/2 mile post, from which a Beech 12
 ins. dia. bears S 69 E 37 lbs. & a White Oak 24 ins. dia
 bears N 44 E 18 lbs.
 52.56 To the River, set post corner to Sec. No. 26 & 23
 Township No. 6 South, Range No. 4 East,
 from which a B. Walnut 30 ins. dia. bears S 4 W
 13 lbs. & a Dog Elder 6 ins. dia. bears S 7 1/2 W.
 Over good land. 2^d rate bottom, rather too wet &
 low, Timber Beech, Sugar tree &c. good farming
 land.

South Between Sec. No. 27 & 26. T. C. S. R. & E.
 33.63 To the River, set post corner to Sec. No. 26
 & 27. Township No. 6. South, Range No. 4 East
 from which an Elm 15 ins. dia. bears S 80 E 8 1/2
 lbs. & a Sycamore 36 ins. dia. bears S 88 3/4 W 32 lbs.
 Over good land 2^d rate bottom, Timber Beech,
 Sugar tree, Poplar &c. good farming land.

West Between Sec. No. 22 & 27. T. C. S. R. & E.

J. C. L. R. L. E. of Min. Ind.

34.23 To the River, set post corner to Sec. (No. 27. 22) Township (No. 6. South, Range) No. 4. East, from which a W. Ash 16 ins. dia. bears N 64° E 7 Mrs. & another W. Ash 6 ins. dia. bears N 22° W 16 Mrs. Over 2^d rate bottom, the principal timber is Beech, some Sugar tree, Ash, good farming land.

East Between Sec. (No. 14 & 23. Township, No. 6 South, Range No. 4 East

26.38 a Beech 8 ins. dia.

40.00 Set the 1/2 mile post from which a Dogwood 8 ins. dia. bears S 34° E 37 Mrs. & a Beech 24 ins. dia. bears N 37° W 18 Mrs.

46.50 To the River cliffs 70 or 80 ft. perpendicular

50.00 To the River, set the post corner to Sections (No. 14 & 23 Township (No. 6 South, Range) No. 4 East, from which a Sugar tree 12 ins. dia. bears S 16° E 48 Mrs. & another Sugar tree 12 ins. dia. bears N 29° E 39 Mrs. Over broken land, Limber, Oak, Hickory, Beech Sugar tree Poplar &c. — not good for farming.

South Between Sec. (No. 5 & 4. J. C. L. R. L. E.

28.50 a Beech 13 ins. dia

40.00 Set the 1/2 mile post from which a Beech 7 ins. dia. bears S 38° W 6 Mrs. & another Beech 11 ins. dia. bears S 67° E 36 Mrs.

61.76 a Sugar tree 11 ins. dia

80.00 Set post corner to Sec. (No. 5. 4 & 8. 9. Township (No. 6 South Range) No. 4 East, from which a Red Oak 24 ins. dia. bears N 54° W 9 Mrs. & a W. Ash 12 ins. dia. bears S 9° E 16 Mrs.

The first 1/2 mile over good farming land, the last over broken land, Limber Oak, Hickory, Beech Sugar tree &c. not good for farming.

137

S. C. S. R. 4. E. of Mer. Ind.

East	On a Random line between Sections No. 4 & 9 in Township No. 6 South, Range No. 4 East
40.00	Set temporary $\frac{1}{4}$ sec. post
42.24	a Spring of very fine water
79.18	Intersected the North & South line 2 Mrs. South of the Sec. corner - Over-broken land, the 1st $\frac{1}{2}$ mile good soil, Timber Sugar tree, Beech, Hickory, Poplar, Ash &c. W. G. Spruce & Dogwood - the last $\frac{1}{2}$ mile good farming land.
West	On a true line between Sec. (No. 4 & 9. Township No. 6 South, Range No. 4 East
39.59	Set the temporary post at the average distance for the $\frac{1}{4}$ sec. corner, from which a Sugar tree 13 ins. dia. bears S 41 W 8 Mrs. & another Sugar tree 13 ins. dia. bears N 19 E 39 Mrs.
10.18	To Sec. corner
South	Between Sec. No. 8 & 9. S. C. S. R. 4. E.
16.88	a small stream of water crosses S. W.
27.04	To the River, Set post corner for Sec. No. 8 & 9 Township No. 6 South, Range No. 4 East, from which a Beech 18 ins. dia. bears N 29 E 20 Mrs. & a Sugar tree 5 ins. dia. bears N 43 $\frac{1}{4}$ W 18 Mrs. Over-broken land, good soil, Timber Oak, Sugar tree, Beech &c. not good for farming
West	Between Sec. No. 5 & 8. S. C. S. R. 4. E.
31.80	a Blue Ash 5 ins. dia.
37.25	To the River cliff 100 feet perpendicular
49.50	To the River, Set post corner to Sec. (No. 5 & 8. Township No. 6 South, Range No. 4 East, from which a Sugar tree 12 ins. dia. bears S 80 W 5 Mrs. & another Sugar tree 8 ins. dia. bears S 48 E 14 Mrs. Over-broken land, rich soil, Timber beech, Oak, Walnut, Locust

T. C. S. R. & C. of Mer. Ind.

	Mulberry &c. small, not very good for farming
South	Between Sec. No. 5 & 6. T. C. S. R. & C.
19.56	a Buck 12 ins. dia
40.00	Set the 1/2 mile post from which a Buck 7 ins. dia. bears N 35 W 21 Mrs. & a Lynx 16 ins. dia bears N 18 W 13 Mrs.
65.38	To the River, set the post corner to Sections No. 5 & 6. Township No. 6 South, Range No. 4 East, from which a Buck 11 ins. dia. bears N 34 W 28 Mrs. & a Buckeye 11 ins. dia. bears S 89 E 16 Mrs. Over rather broken land, good soil. Timber Oak, Ash, Hickory, Poplar, Gum, Sugar tree, buck &c. good farming land, River cliff 100 feet high nearly perpendicular
	Meanders of the Ohio in Township No. 6 South, Range No. 4 East. Commenced at corner to Sec. No. 6 & 1. T. C. S. Ranges 3 & 4 East
N 87 E	22.00
East	24.50 a small stream of water
S 80 E	13.40 a Brook 5 Mrs. wide
S 80 E	33.50
N 75 E	49.90 To the corner to Sec. No. 5 & 6. T. C. S. R. & C.
N 65 E	38.42 To the corners to Sec. No. 5 & 8. T. C. S. R. & C.
N 60 E	26.00 a small brook which proceeds from a Spring
N 60 E	50.38 a small stream of water
N 60 E	53.91 To the corners to Sec. No. 8 & 9. T. C. S. R. & C.
N 57 E	11.00 a spring of good water
	28.77 a small creek 20 Mrs. wide

139

L. S. L. R. & Co. Mer. Ind.

\$57 E 36.00
\$39 E 34.74

4.63 To the corners to sec. No. 9 & 16 T. 5. R. 4. E
\$29 E 10.00
\$23 E 13.45.

8.14 a small creek
\$14 E 18.50
\$21 E 13.00

\$17 E 31.15 a creek 20 fms. wide
\$17 E 32.95 To the corners to sec. No. 16 & 21 T. 6. R. 4. E

4.92 To the corners to sec. No. 21 & 22 T. 6. R. 4. E
\$24 E 26.50

\$29 E 39.50

\$38 E 35.53 To sec. No. 22 & 27 T. 6.
\$38 E 57.53

\$48 E 20.00

\$48 E 7.97 To the corner to sec. No. 27 & 26
\$58 E 10.00

\$68 E 10.36

East 9.30

\$75 E 8.00

\$60 E 9.90

\$42 E 7.27.

S. 6. S. R. 4. E. of Mer. Ind.

N 30 E	9.95	
N 20 E	11.26	To the corner to Sec. No. 23 & 26. T. 6. R. 4. E.
N 10 E	20.50	
North	11.50	
N 7 W	48.82	To the corner to Sec. (No. 14 & 23. T. 6. R. 4. E.
North	14.50	
N 10 E	11.50	
N 22 E	33.00	
N 34 E	10.00	Variation 4.05 only through the remaining courses
N 56 E	15.63	at $\frac{S}{3.15}$ a creek 100 Mrs. wide To corner of Sections 13 & 14. — 57 hrs. departure fourth
N 56 E	26.60	To corner of fractions 12 & 13. departure 158 ft.
N 70 E	52.54	
N 25 E	6.93	
N 78 E	10.50	To corner of Township No. 6.
West	Between Sec. No. 9 & 16. T. 6. S. R. 4. E	
15.39	a Hickory 12 ins. dia	
27.59	a Sugar tree 13 ins. dia. on the bank of the River for corner to Sec. (No. 9 & 16. Township No. 6. Range No. 4 East	
West	Between Sec. No. 16 & 21. T. 6. S. R. 4. E	
126	To the River, set post corner to Sections No.	

141

T. 6. S. R. 4. E. of Mer. Ind.

16 & 21. Township No. 6. South Range No. 4 East

South Between Sect. No. 21 & 22. Township No. 6 South Range No. 4 East

2.90 To the River set post corner to Sections No. 21 & 22 Township No. 6 South, Range No. 4 East

South Between Sect. No. 14 & 13. Township No. 6 South, Range No. 4 East

7.25 a Sugar tree on the Bank of the River 14 ins. dia. for corner to Sect. No. 14 & 13. Township No. 6 South, Range No. 4 East

East Between Sections No. 13 & 12. Township No. 6 South Range No. 4 East

12.36 To the River, set post corner to Sections No. 12 & 13 Township No. 6 South, Range No. 4 East from which a Sycamore 36 ins. dia. bears N 14 W 13 lbs. & a Buck 27 ins. dia. bears N 13 W 27 lbs.

Surveyed by

in 1806

William Harris,
Deputy Surveyor.

I certify that the foregoing Transcript of the Field notes of Township No. 6 South Range No. 4 East of this Mer. has been compared with the original in this office & found to be correct.

Surveyor General's Office,
Cincinnati, Feb. 12. 1841.

W. B. Cairns
Sur. Genl.

T. S. R. & E. 2^d. Mer. Indiana

West Between Sec. 9 & 16

15.59 a Hickory 12 in. dia.

27.59 a Sugar tree 13 in. dia. on the bank of the
River for corners to fraction 9 & 16, T. S.
R. & E.
